

00 General

00.01 General description

00.01.10 General description of the build/project

01. *General description*

The following conditions apply for the delivery, processing and application of wood:
Wood or wood products are delivered with the FSC quality mark/logo (Forest Stewardship Council) or equivalent. Equivalent must be conclusively demonstrated by the tenderer using the criteria described on page 4 of this document.

The tenderer is to have a valid Chain of Custody (COC) certificate relating to the nature of the build/project prior to the start of construction. This certificate (according to standard: FSC-STD-40-004 V2.1) must be provided by a certification bureau recognised by Accreditation Services International GmbH. If the tenderer is not in possession of a COC certificate, he/she must apply for COC certification. The tenderer may also choose to have the project certified (according to the standard FSC-STD-40-006 V1.0; project certification).

The tenderer shall prove to the awarding/contracting authority that FSC certified wood has been applied with the use of receipts. Receipts should indicate:

- Name and address of buyer
- Issue date
- Product description
- Product amount
- Chain of custody certificate code
- FSC product group
- FSC 100%, or FSC Mix %, or FSC Mix Credit, or FSC Recycled, or FSC Recycled Credit

30 *Window frames, framing and doors*

30.32 Window Frames

30.32.11 Wooden window frames

0. Wooden Window Frames

Wood or wood products are delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

Manufacture:

Type:

Degree of air inlet/outlet:

Watertight integrity:

Resistance class (insects/fungus):

Density kg/m³:

Other performance requirements

Wood species choice is dependent on the application, location and detailing and other performance requirements.

30.33 Doors

30.33.11 Wooden door

0. Exterior wooden door

Wood or wood products are delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent

Resistance class:

Density kg/m³:

Other performance requirements
 Wood species choice is dependent on the application, location and detailing and other performance requirements.

- 30.34 Frames
- 30.34.11-a Wooden frame
 - 0. Wooden frame
 Wood or wood products are delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.
 Resistance class:
 Density kg/m³:
 Other performance requirements
 Wood species choice is dependent on the application, location and detailing and other performance requirements.

- 30.37 Building Panels
- 30.37.11-a Wooden building panels
 - 0. Wooden building panel
 Wood or wood products are delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

- 30.41 Roof window
- 30.41.10-a Wooden roof window
 - 0. Wooden roof window
 Wood or wood products are delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

- 30.42 Dormers
- 30.42.10-A 0. Dormer
 Wood or wood products are delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

- 30.44 Skylight
- 30.44.10-a Skylight
 - 0. Skylight
 Wood or wood products are delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

- 32 *Staircases and balustrades/railings*

- 32.31 Fixed staircases
- 32.31.12-a Fixed wooden straight staircase
 - 0. Wooden fixed straight staircase
 Wooden straight staircases delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

- 32.31.22-a Wooden spiral staircase
 - 0. Wooden spiral staircase
 Wooden spiral staircases are delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

- 32.31.32-a Wooden winding staircase

- 0. Wooden winding staircase
Wooden winding staircases are delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

- 44 *Ceiling and wall systems*

- 44.31 Ceiling Panels

- 44.31.40-a Ceiling panels, wooden ceiling panel
 - 0. Ceiling panels
 - 1. Wooden ceiling panel

- 44.37 Plasterboard Ceilings
- 44.37.12-a Finishing work of the project/build; sawn wood, plasterboard
 - 0. Finishing work of the project/build
Plasterboard
 - 1. Sawn wood
Sawn wood is delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.
 - 2. Plasterboard

- 44.41 Finishing work of the project/build; partition walls
- 44.41.22-a Partition wall, planking on construction frame, wooden siding, plasterboard
 - 0. Partition wall, planking on construction frame
 - 1. Wooden siding
Wooden siding is delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.
 - 2. Plasterboard

- 45 *Finishing woodwork*

- 45.31 Furring
- 45.31.10-a Carpentry, furring, sawn wood
 - 0. Carpentry, battens
 - 1. Sawn wood
Quality class:
Sawn wood is delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

- 45.32 Battens
- 45.32.10-a Carpentry, battens, sawn wood
 - 0. Carpentry, battens
 - 1. Sawn wood
Quality class:
Sawn wood is delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

- 45.41 Paneling
- 45.41.11-a Carpentry, paneling, profiled wood
 - 0. Carpentry, paneling
 - 1. Profiled wood

Wood species: choice is dependent on the application, location, detailing and availability.

Profiling: Tongue and groove.

Profiled timber is delivered with FSC quality mark/logo (Forest Stewardship Council) or equivalent.

FSC or equivalent

In a procurement policy (tender specification) it is written that wood or wood products should be delivered with the FSC quality mark/logo or equivalent.

Application of the FSC standard or an equal standard should result in the exclusion of illegal logging,, exclusion of large and irreparable damage to the environment, provide certainty about respecting the interests of indigenous and local inhabitants in and around the forest, as well as provide adequate protection of (irreplaceable) forests.

Any awarding authority/contracting party wishing to demonstrate that another quality mark is equal to that of FSC or in other words, that a standard for responsible forest management certification is equivalent to the FSC standard should check and control the following:

1. FSC Principles And Criteria For Forest Stewardship **FSC-STD-01-001 (version 4-0) EN**

2. Company Evaluation of Controlled Wood FSC STD 40 005 V2 1 EN

3. The National FSC standard if available. Check availability for national standard:

http://www.fsc.org/fileadmin/web-data/public/document_center/national_FSC_standards/FSC_Approved_FSS.pdf. If no national standard exists, the standard should meet the following:

- Requirements regarding the translation of FSC Principles & Criteria to the generic standard: Structure, content and local adaptation of generic Forest Stewardship Standards **FSC-STD-20-002 (V3-0) EN**
- Requirements regarding the development of national standards: Process requirements for the development and maintenance of National Forest Stewardship Standards **FSC-STD-60-006 (V1-2) EN**

4. Regarding the control of standards in the field (in the forest), certifiers and the certification process the standard should meet the following:

- General requirements for FSC CBs **FSC-STD-20-001 V3-0 EN**
- Stakeholder Consultation for Forest Evaluation **FSC-STD-20-006 V3-0 EN**